



Updates for LTI

- Sakai setting is different as compared to CANVAS
 - To explore option for more generic LMS and have a part for the XML
- LTI setting needs to be accessible by all admin
 - Settings is viewable by all
 - Config setting (by root adm)
 - LTI by all admin
- If LTI setting is not configured correctly, it will fail.
 - o Do we have logging?
 - Best to log the entire request (textfile) and (audit success and fail LTI) calls
 - This affects reports (login report)
 - To the event that we need to call when login success or fails.
 - Audit account provision, success and failure.

Configuring LTI/SSO on Moodle



External tool configuration



Privacy

Share launcher's name with tool

Always

Always

Always

Accept grades from the tool

Delegate to teacher

Delegate to teacher


☐ Force SSL ②


How to integrate the LTI SSO in a moodle course

1. Open your course, and turn on editing




2. Go to a section and add an activity





Adding a new External tool to Learning (



Next turn off Editing, and click on the link

Learning Objectives

Course Learning Objectives	
Downloading the Creator AVR App	
Restricted Not available unless: The activity Course Learning Objectives is marked complete	
EON-XR SSO (beta server)	
W. Commission of the commissio	

On click, it will open a new windows and SSO user into EON-XR

Canvas Settings

See video

https://drive.google.com/file/d/1YYV7ZBxPgo9BvGObvpIY39OaU_Mk-3qt/view?usp=sharing

Add App		×
Configuration Type		
Manual Entry		~
Name		
Name		
Consumer Key	Shared Secret	
Consumer Key	Shared Secret	
Launch URL		
Launch URL		
Domain	Privacy	
Domain	Anonymous	~
Custom Fields		
Custom Fields		
One per line. Format: name=value		
Description		
Description		
Concel		
Cancel Submit		

*Launch URL

https://tpi.bb.pearsoncmg.com/ki/basic/i

Tool settings 0 0 Tool name À Tool URL 0 0 Tool description 0 LTI version LTI 1.3 \$ Public key 0 Initiate login URL 0 Redirection URI(s) 0 Custom parameters 0 || meet.google.com is sharing your screen. Stop sharing Hide Tool configuration usage Chou as presentiaured tool when adding an external tool.

Sakai Settings (coming soon)

# Home V STA 21	11 S1 2020 V EED 127 S2 2020 V ADL 311 S1 2020 V
Capacity Building V	
Overview Announcements Site Info	SITE INFO External Tool *Tool Title (Above the tool) EON LTI Test I
Roster	Allow tool title to be changed
Help	Allow Choose a custom icon (leave empty to use the default ico Allow custom icon to be changed Do not allow Allow *Button Text (Text in tool menu)
	Allow button text to be changed Do not allow Allow Description
	«

Tool Status	
Enabled	
○ Disabled	
*Launch URL	
Allow launch URL to be changed	
Do not allow	
○ Allow	
Launch Key	
I	
Allow launch key to be changed	
Do not allow	
Allow	
Launch Secret	
Allow launch secret to be changed	
Do not allow	
Allow	

Frame Height	Allow the tool to be used from the rich co	Custom Parameters (key=value on separate lines)
	Launch in Popup	
Tool Order (Only valid for tools placed in all sites)	Never launct in Popup	I
Allow frame height to be changed	Always launch in Popup	☐ Allow additional custom parameters
Do not allow	 Allow popup to be changed 	Splash Screen (If this is non-blank it is shown before the tool is launched)
Allow	Debug Launch	
Configuration dialog when tool is selected		
Bypass configuration dialog	Never launch in debug mode	
Show configuration dialog	Always launch in debug mode	
Privacy Settings:	Allow debug mode to be changed	
Send User Names to External Tool		
Send Email Addresses to External Tool		
Services:		
Allow External Tool to return grades		
Allow External Tool to create grade columns		
Provide Roster to External Tool		
Allow External Tool to store setting data		
Indicate the following types of Content Item/Deep Link Sele- request, it will likely fail when you try to use it.	ction launches this tool can handle. Not all tools can handle types of lau	nches. If you enable a tool which is not capable of responding to a particular
Allow the tool to be launched as a link (this is typically true for	most tools)	
Allow external tool to configure itself (the tool must support the	ne IMS Content-Item or Deep-Link message)	
Allow the tool to be used from the rich content editor to select	content (the tool must support the IMS Content-Item or Deep-Link message)	

	Allow the tool to be one of the assessment types	Description
ol Status	Launch in Popup	Martini11 Library
Enabled	Never launch in Popup	
○ Disabled	Always launch in Popup	
ol Visibility	- Almoys launtin in copup	Tool Status
• Visible	Allow popup to be changed	Enabled
Stealthed	Debug Laurek	Olisabled
	Debug Launch	Tool Visibility
unch URL	 Never launch in debug mode 	Visible
rsoncmg.com/tpi/lti/basic/andp_mstr/1.0	Always launch in debug mode	○ Stealthed
ps://tpi.bb.pearsoncmg.com/tpi/lti/basic/andp_mstr/1.0		*Launch URL
ps://tpi.bb.pearsoncmg.com/tpi/lti/basic/andp_mstr/1.0 targetid=item	Allow debug mode to be changed	https://tpi.bb.pearsoncmg.com/tpi/lti/basic/i
ps://tpi.bb.pearsoncmg.com/tpi/lti/basic/andp_mstr/1.0/targetid=item	Custom Parameters (key=value on separate lines)	Allow launch URL to be changed
ps://tpi.bb.pearsoncmg.com/tpi/fti/basic/andp_mstr/1.0targetid=iteml	targetid=itemLibrary	Do not allow
wcsa.sakalbiti.com	book=global_martini11	Allow
		Launch Key
w launch key to be changed		uniwcsa.sakaiblti.com
Do not allow	Manually map Sakai roles to IMS roles, Example: maintai	Allow launch key to be changed
Allow	maridally map sakar roles to ims roles, example, maintain	Do not allow
nch Secret		○Allow
*********		Launch Secret
ow launch secret to be changed		*******
Do not allow		Allow launch secret to be changed
Allow	Allow additional custom naturers	Do not allow
me Height		